





## What is an air-to-air heat pump?


Heat pumps extract heat from the outside air, even in cold weather. They use an electrically powered compressor and are extremely effective at heating a flat or a house. Daikin heat pumps are silent and discreet, and use state-of-the-art technology to keep your energy bills as low as possible. With a Daikin heat pump, 80% of the energy used to heat your home comes from the outside air, a free and infinitely renewable resource! For cooling, the system is reversed, extracting heat from the indoor air.



Energy consumption of more than 2h air conditioner



Energy consumption of 1 washing cycle + drying cycle



## Did you know that ...

Continuously using your air conditioner for more than 2h hours consumes as little energy as washing and drying 1 load of laundry\*.

\*Comparing power input of a typical washing and drying cycle (A+++ washing machine and A+++ dryer) to a 2.5kW unit in cooling.

**A+** SEER A+ on the entire range  
SCOP up to A+

**Daikin Europe N.V.** Naamloze Vennootschap Zandvoordestraat 300 · 8400 Oostende Belgium · [www.daikin.eu](http://www.daikin.eu) · BE 0412 120 336 · RPR Oostende (Responsible Editor)



ECPEN15-012 05/15



The present publication is drawn up by way of information only and does not constitute an offer binding upon Daikin Europe N.V. Daikin Europe N.V. has compiled the content of this publication to the best of its knowledge. No express or implied warranty is given for the completeness, accuracy, reliability or fitness for particular purpose of its content and the products and services presented therein. Specifications are subject to change without prior notice. Daikin Europe N.V. explicitly rejects any liability for any direct or indirect damage, in the broadest sense, arising from or related to the use and/or interpretation of this publication. All content is copyrighted by Daikin Europe N.V.

Printed on non-chlorinated paper.

**DAIKIN**

Leader  
in Air  
Conditioning



**1** **STYLISH**  
COMFORT

**2** **LOW**  
SOUND

**3** **EASY**  
CONTROL

**4** **CLEAN**  
AIR

# Why choose Daikin?




## 1 Stylish Comfort

A wall mounted indoor unit whose stylish design will enhance any décor. Its gently curved contours house this energy-efficient, whisper quiet and simple to use unit. Vertical auto swing with these wall mounted units moves the discharge louvres up and down to give you efficient air and temperature distribution throughout the room. Powerful mode means that the room can heat up or cool down rapidly, for maximum comfort.

## 2 Low Sound

With sound pressure down to 21dBA the new FTXK-AW/S operates almost unnoticed ensuring a good night's sleep.




## 3 Easy Control

The infrared remote control is user-friendly and has a timer function which allows you to programme the unit to start or stop when you want it to.

- Powerful mode**: heat up or cool down rapidly
- Vertical swing**: efficient air distribution
- Timer**: allows you to programme the unit, including on/off and sleep mode\*  
\*1hr after activation of sleep mode, the set point is increased in cooling or decreased in heating to ensure comfortable sleeping conditions
- Improved shape**: for better ergonomics

## 4 Clean Air

Daikin's titanium apatite photocatalytic filter removes airborne dust particles and decomposes the odours of tobacco and pets, for example. It also traps and even deactivates harmful organic chemical substances like bacteria, viruses and allergens to ensure you enjoy a steady supply of clean air.



Efficiency data	Nominal capacity (kW)			Energy label		Pdesign (kW)		SEER	SCOP	Annual energy consumption (kWh)		Indoor unit dimensions H x W x D (mm)	Sound power level indoor (dBA)		Sound power level outdoor (dBA)		Sound pressure level indoor (High/Nom/Low/Silent operation) dBA		Refrigerant (R-410A)				
	Cooling	Heating		Cooling	Heating	Cooling	Heating			Cooling	Heating		Cooling	Heating	Cooling	Heating	Cooling	Heating	Cooling	Heating	GWP	Charge (kg/TCO <sub>2</sub> Eq)	
FTXK-AW/S +RXK-A	25	2.50	3.30	A+	A+	2.50	2.40	5.66	4.24	155	792	297x890x210	53	53	58	58	41/40/34/29/21	2,087.5	0.74/1.5				
	35	3.50	3.60			3.50	2.80						4.16	209	945	54	54		60	60	42/41/34/30/22	1.00/2.10	
	50	5.48	5.62			3.37	3.37						5.93	4.01	324	1177	55		55	64	64	44/40/38/35/32	1.25/2.62
	60	6.23	6.40			3.80	3.80						6.09	4.06	359	1310	61		61	65	65	46/43/41/37/33	1.45/3.0



(Note) Nominal efficiency: cooling at 35/27° nominal load, heating at 7/20° nominal load | Contains fluorinated greenhouse gases